

# Bags & Can Liners



Right fit Reuse

Reduce

Recycle

#### **Better Products for a Better Future**

TruBio Series bags are our more eco-friendly liners designed to fit and stretch among the four most common receptacle sizes. Save time, money, and be more socially responsible, by buying only what you need and not spending extra on what you don't.



## **Eco-Friendly Option**

Our TruBio can liners use ECOgrade, a member of a new sustainable material family that can replace a portion of common plastic to make can liners that function like plastic are also more sustainable, have a lower carbon footprint, can be completely recycled, and have safer disposal options.

## Benefits of ECOgrade

Start with:

Mineral-based resin ► Reduces petroleum plastic ► Lower GHG components Work with:

High-quality, durable, economical can liners

End with:

Degradable ► Recyclable ► Cleaner disposal options

## Power and Benefits of EcoGrade:



#### More sustainable vs conventional plastic (due

to composition)
It contains over 90%
renewable (sustainable)
components, whereas
conventional plastic
is made entirely of
nonrenewable, petroleumderived components



#### Create less greenhouse

gases (based on replacing petroleum plastic) 50% ECOgrade and 50% HDPE can reduce greenhouse gas by approximately 42%



## Photodegradable after use

Complete degradation after 240 days



#### Can be recycled after use with sustainable materials

Approximately 90% of EcoGrade is sustainable materials, including calcium carbonate, starch, processed sugarcane hulls, beeswax, water, and a carrier polymer

## **TruBio Liners**

Revive Supplies is proud to introduce a series of biodegradable can liners to satisfy the environmental needs of our customers. In a world filled with waste and byproduct of human consumption, we believe reducing the negative footprint of our products on the environment by offering eco-friendly bags, is simply the right thing to do. Please see our flier for more details.

High Density Biodegradable Liners												
ITEM NUMBER	ITEM NUMBER		BAG	CASE	SKID							
CLEAR	GREEN	SIZE	GAUGE	COUNT	COUNT							
HDCW24336C	HDCW24336G	24 x 33	6 micron	1000	70							
HDCW303710C	HDCW303710G	30 x 37	10 micron	500	70							
HDCW374615C	HDCW374615G	37 x 46	15 micron	250	56							
HDCW404816C	HDCW404816G	40 x 48	16 micron	250	56							
HDCW385816C	HDCW385816G	38 x 58	16 micron	200	56							
HDCW434816C	HDCW434816G	43 x 48	16 micron	200	70							

Low Density	Biodegradable Line	ers			
ITEM NUMBER	ITEM NUMBER		BAG	CASE	SKID
CLEAR	GREEN	SIZE	GAUGE	COUNT	COUNT
LDCW2432HVYC	LDCW2432HVYG	24 x 32	0.6 mil	500	70
LDCW3036HVYC	LDCW3036HVYG	30 x 36	0.6 mil	250	91
LDCW3339HVYC	LDCW3339HVYG	33 x 39	0.8 mil	250	77
LDCW3746XHVYC	LDCW3746XHVYG	37 x 46	1.0 mil	100	84
LDCW4046XHVYC	LDCW4046XHVYG	40 x 46	1.2 mil	100	70
LDCW4347XHVYC	LDCW4347XHVYG	43 x 47	1.2 mil	100	70
LDCW3858XHVYC	LDCW3858XHVYG	38 x 58	1.2 mil	100	77
LDCW2432XHVYC	LDCW2432XHVYG	24 x 32	1.0 mil	500	56
LDCW3036XHVYC	LDCW3036XHVYG	30 x 36	1.0 mil	250	77
LDCW3339XHVYC	LDCW3339XHVYG	33 x 39	1.2 mil	250	91
LDCW3746XXHVYC	LDCW3746XXHVYG	37 x 46	1.7 mil	100	63
LDCW4046XXHVYC	LDCW4046XXHVYG	40 x 46	1.7 mil	100	63
LDCW4347XXHVYC	LDCW4347XXHVYG	43 x 47	1.7 mil	100	63
LDCW3858XXHVYC	LDCW3858XXHVYG	38 x 58	1.7 mil	100	56

Blue Recycled Liners											
ITEM NUMBER		SIZE	BAG GAUGE	CASE COUNT	SKID COUNT						
DG404816RB	Blue HD	40 x 48	16 micron	250	56						
DG4048XHVYRB	Blue LD	40 x 48	1.2 mil	100	70						



Note: 28/cl case minimum per size. Meets standards outlined in ASTM D5511 and D5526.




Taking the guesswork out of can liner sizes

TruFit Series bags are designed to fit and stretch among the four most common receptable sizes. Save time and money buying only what you need and not spending extra on unneeded plastic. Our liners are offered in a variety of resigns LLDPE, HDPE and REPRO options – all high-quality plastic with a slip-free fit.

All you need to know is gallon size when selecting the right liners with TRUFIT SERIES:

= Correct Length = Proper Overhand = Less Waste



## **TRUFIT SIZING:**

#### 23 Gallon Container

TruFit Series Size: 29" x 44"

Competitors: 33" x 39" (13% wasted)

40" x 46" (45% wasted)

38" x 58" (74% wasted)

#### 32 Gallon Container

TruFit Series Size: 33" x 44"

Competitors: 40" x 46" (26% wasted)

38" x 58" (50% wasted)

#### 44 Gallon Container

TruFit Series Size: 37" x 50"

Competitors: 38" x 58" (18% wasted)

#### 55 Gallon Container

TruFit Series Size: 41" x 54"

#### **NEW! 65 Gallon Container**

TruFit Series Size: 50" x 44"

#### COLORS

Natural Clear Black

#### LLDPE

Great for heavy duty and sharp material

#### **HDPE**

Great for high volumes (paper, linens, and office materials)

#### REPRO

Performs like LLDPE

## **PRODUCT FEATURES:**

- No more wasted plastic
- No more paying for what you don't need
- Line receptacles more efficiently and more cost effectively
- Packed on coreless rolls for easy dispensing



Manufactured of high-quality polyethylene can liners and plastic bags





Taking the guesswork out of can liner sizes

## **TruFit Series**

TruFit Series bags are designed to fit and strength among the four most common receptable sizes. Save time and money buying only what you need and not spending extra on unneeded plastic. Our liners are offered in a variety of resins: LLDPE, HDPE, and REPRO options - all high-quality plastic wtih a slip-free fit.

NUMBER	WIDTH	LENGTH	COLOR	BAG GAUGE	CASE COUNT	CASE PACK PUT UP	MATERIAL	RECEPTACLE	
TF294414N	29	44	Natural	14 MIC	250	CORELESS	HDPE	23 GAL SLIM JIM	
TF294416N	29	44	Natural	16 MIC	250	CORELESS	HDPE	23 GAL SLIM JIM	
TF2944C	29	44	Clear	1 MIL	200	CORELESS	LLDPE	23 GAL SLIM JIM	Slim Jim 23 Gallon
TF2944HB	29	44	Black	1.2 MIL	200	CORELESS	REPRO	23 GAL SLIM JIM	HDPE LLDPE
TF334414N	33	44	Natural	14 MIC	250	CORELESS	HDPE	32 GAL ROUND	REPRO
TF334416N	33	44	Natural	16 MIC	250	CORELESS	HDPE	32 GAL ROUND	
TF3344HC	33	44	Clear	1.2 MIL	100	CORELESS	LLDPE	32 GAL ROUND	
TF3344HB	33	44	Black	1.2 MIL	100	CORELESS	REPRO	32 GAL ROUND	Round
TF375014N	37	50	Natural	14 MIC	250	CORELESS	HDPE	44 GAL ROUND	Receptacle 32, 44 and 5
TF375016N	37	50	Natural	16 MIC	250	CORELESS	HDPE	44 GAL ROUND	GALLON
TF3750HC	37	50	Clear	1.2 MIL	100	CORELESS	LLDPE	44 GAL ROUND	LLDPE REPRO
TF3750XHB	37	50	Black	1.5 MIL	100	CORELESS	REPRO	44 GAL ROUND	
TF415416N	41	54	Natural	16 MIC	200	CORELESS	HDPE	55 GAL ROUND	4
TF4154XHB	41	54	Black	1.5 MIL	100	CORELESS	REPRO	55 GAL ROUND	
TF5044XHB	50	44	Black	1.5 MIL	100	CORELESS	REPRO	65 GAL KING KAN	King Kan 65 Gallon





38 x 58...... 18% Wasted



Blue: Common sizes used

40 x 46 ...... 26% Wasted 38 x 58 ...... 50% Wasted 33 x 39 ...... 13% Wasted 40 x 46 ...... 45% Wasted

38 x 58 ...... 74% Wasted

55 Gallon Container

44 Gallon Container 32 Gallon Container

23 Gallon Slim Jim Container









## **Medical Liners**







YELLOW	INFECTIOUS LI	NEN BA	GS ON RO	LLS (PRINTE	D)			
ITEM	BAG	BAG	CASE	MAX. DRY	GALLON	SKID	ROLLS/	BAGS/
NUMBER	WIDTH / LENGTH	GAUGE	COUNT	LOAD CAP.	CAP.	COUNT	CASE*	ROLL*
IL3339	33 39	1.30	200	65 lbs	33	63	10	20
IL4047	40 47	1.30	150	75 lbs	45	56	10	15

Our Yellow Infectious Linen bags are printed with a six-inch Bio-Hazard symbol, and warning message is in English and Spanish. Printing is in black ink, one side, random repeat. All bags are supplied with star seal bottoms and are packed in rugged, white corrugated cartons.

ITEM	Е	BAG	BAG	CASE	MAX. DRY	GALLON	SKID	ROLLS/	BAGS
NUMBER	WIDTH /	LENGTH	GAUGE	COUNT	LOAD CAP.	CAP.	COUNT	CASE*	ROLL
SL2431	24	31	1.30	200	65 lbs	12-16	84	10	20
SL3043	30	43	1.30	150	75 lbs	45	70	10	15
SL3750	37	50	1.30	150	70 lbs	44	56	10	15

Our Blue Soiled Linen bags are printed with a warning message in English and Spanish. Printing is in black ink, one side, random repeat. All bags are supplied with star seal bottoms and are packed in rugged, white corrugated cartons.

ITEM	BAG		BAG	CASE	MAX, DRY	GALLON	SKID	ROLLS/	BAGS
NUMBER	WIDTH / L	ENGTH	GAUGE	COUNT	LOAD CAP.	CAP.	COUNT	CASE*	ROLL
IW2424	24	24	1.30	500	35 lbs	7-10	56	10	50
IW2431	24	31	1.30	250	35 lbs	12-16	70	10	25
IW3037	30	37	1.30	100	65 lbs	30	91	5	20
IW3043	30	43	1.30	200	65 lbs	30	63	10	20
IW3339	33	39	1.30	200	65 lbs	33	63	10	20
IW3848	38	48	1.30	100	70 lbs	45	70	5	20
IW4047	40	47	1.30	150	75 lbs	45	56	6	25
IW4047H	40	47	2.00	100	100 lbs	45	56	10	10

Our Red Infectious Waste bags are printed with a warning message in English and Spanish. Printing is in black ink, one side, random repeat. All bags are supplied with star seal bottoms and are packed in rugged, white corrugated cartons.

## Why Linear Low Density?

- Great for multiple applications with sharp or jagged objects
- Whether used in an office, home or a manufacturing plant, we have a variety of sizes and thicknesses for any application

# **Premium LLD**



## **Product Features**

- Made with prime resins
- Superior tear and puncture resistance
- Leak-proof star seal
- Packed on coreless rolls or individually folded
- Ideal for multiple applications where clear bags are needed
- Available in clear, black, and white



\*Skid count subject to change based on shipping requirements

Clear C	orele	ss Ro	ılls								
						0405	MAN DOW	0411041	OLUD	DOLLO/	DA00/
ITEM	BAC		BAG	0.41105	0011117	CASE	MAX. DRY	GALLON	SKID	ROLLS/	BAGS/
NUMBER	WIDTH /		COLOR	GAUGE	COUNT	PUT UP	LOAD CAP.	CAP.	COUNT	CASE*	ROLL*
RST2423XLC		23	C, W, B	0.35	1000	CORELESS	10 lbs	7-10	84	20	50
RST24236C		23	C, W, B	0.6	500	CORELESS	20 lbs	7-10	70	10	50
RST2432XLC		32	C, W, B	0.35	1000	CORELESS	10 lbs	12-16	77	20	50
RST24326C		32	C, W, B	0.6	500	CORELESS	20 lbs	12-16	77	10	50
RST3036LC		36	C, W, B	0.65	200	CORELESS	40 lbs	20-30	91	10	20
RST3036C		36	C, W, B	0.75	200	CORELESS	50 lbs	20-30	91	10	20
RST3036HC		36	C, W, B	0.9	200	CORELESS	60 lbs	20-30	84	10	20
RST3339LC	33	39	C, W, B	0.65	150	CORELESS	40 lbs	33	91	6	25
RST3339C	33	39	C, W, B	0.75	150	CORELESS	50 lbs	33	91	6	25
RST3339HC	33	39	C, W, B	0.9	150	CORELESS	60 lbs	33	84	6	25
RST3339XHC	33	39	C, W, B	1.1	250	CORELESS	80 lbs	33	63	10	25
RST3339X1C	33	39	C, W, B	1.5	100	CORELESS	90 lbs	33	84	5	20
RST3339X2C	33	39	C, W, B	2	100	CORELESS	100 lbs	33	77	10	10
RST3858LC	38	58	C, W, B	0.65	100	CORELESS	40 lbs	55	91	5	20
RST3858C	38	58	C, W, B	0.75	100	CORELESS	50 lbs	55	91	5	20
RST3858HC	38	58	C, W, B	0.9	100	CORELESS	60 lbs	55	70	5	20
RST3858XHC	38	58	C, W, B	1.1	100	CORELESS	80 lbs	55	70	5	20
RST3858X1C	38	58	C, W, B	1.5	100	CORELESS	90 lbs	55	63	5	20
RST3858X2C		58	C, W, B	2	100	CORELESS	100 lbs	55	49	10	10
RST4046LC		46	C, W, B	0.65	100	CORELESS	40 lbs	40-45	91	5	20
RST4046C	40	46	C, W, B	0.75	100	CORELESS	50 lbs	40-45	91	5	20
RST4046HC		46	C, W, B	0.9	100	CORELESS	60 lbs	40-45	84	5	50
RST4046XHC		46	C, W, B	1.1	125	CORELESS	80 lbs	40-45	70	5	25
RST4046X1C		46	C, W, B	1.5	100	CORELESS	90 lbs	40-45	77	5	20
RST4046X2C		46	C, W, B	2	100	CORELESS	100 lbs	40-45	56	10	10
RST4347LC		47	C, W, B	0.65	100	CORELESS	40 lbs	56	91	5	20
RST4347C		47	C, W, B	0.75	100	CORELESS	50 lbs	56	91	5	20
RST4347HC		47	C, W, B	0.9	100	CORELESS	60 lbs	56	84	5	20
RST4347XHC		47	C, W, B	1.1	100	CORELESS	80 lbs	56	70	5	20
RST4347X1C		47	C, W, B	1.5	100	CORELESS	90 lbs	56	63	5	20
RST4347X1C		47	C, W, B	2	100	CORELESS	100 lbs	56	56	10	10

Clear I	ndivio	dually	Folde	d					
ITEM	BA	G	BAG			CASE	MAX. DRY	GALLON	SKID
NUMBER	WIDTH /	LENGTH	COLOR	GAUGE	COUNT	PUT UP	LOAD CAP.	CAP.	COUNT
ST24236C	24	23	C, W, B	0.6	500	FOLDED	20 lbs	7-10	63
ST24326C	24	32	C, W, B	0.6	500	FOLDED	20 lbs	12-16	63
ST3036LC	30	36	C, W, B	0.65	200	FOLDED	40 lbs	20-30	91
ST3036C	30	36	C, W, B	0.75	200	FOLDED	50 lbs	20-30	91
ST3036HC	30	36	C, W, B	0.9	200	FOLDED	60 lbs	20-30	84
ST3339LC	33	39	C, W, B	0.65	150	FOLDED	40 lbs	33	84
ST3339C	33	39	C, W, B	0.75	150	FOLDED	50 lbs	33	91
ST3339HC	33	39	C, W, B	0.9	150	FOLDED	60 lbs	33	84
ST3339XHC	33	39	C, W, B	1.1	250	FOLDED	80 lbs	33	63
ST3339X1C	33	39	C, W, B	1.5	100	FOLDED	90 lbs	33	84
ST3339X2C	33	39	C, W, B	2	100	FOLDED	100 lbs	33	77
ST3858LC	38	58	C, W, B	0.65	100	FOLDED	40 lbs	55	91
ST3858C	38	58	C, W, B	0.75	100	FOLDED	50 lbs	55	84
ST3858HC	38	58	C, W, B	0.9	100	FOLDED	60 lbs	55	70
ST3858XHC	38	58	C, W, B	1.1	100	FOLDED	80 lbs	55	70
T3858X1C	38	58	C, W, B	1.5	100	FOLDED	90 lbs	55	63
ST3858X2C	38	58	C, W, B	2	100	FOLDED	100 lbs	55	49
ST4046LC	40	46	C, W, B	0.65	100	FOLDED	40 lbs	40-45	91
ST4046C	40	46	C, W, B	0.75	100	FOLDED	50 lbs	40-45	91
ST4046HC	40	46	C, W, B	0.9	100	FOLDED	60 lbs	40-45	84
ST4046XHC	40	46	C, W, B	1.1	125	FOLDED	80 lbs	40-45	70
ST4046X1C	40	46	C, W, B	1.5	100	FOLDED	90 lbs	40-45	77
ST4046X2C	40	46	C, W, B	2	100	FOLDED	100 lbs	40-45	56
ST4347LC	43	47	C, W, B	0.65	100	FOLDED	40 lbs	56	91
ST4347C	43	47	C, W, B	0.75	100	FOLDED	50 lbs	56	91
T4347HC	43	47	C, W, B	0.9	100	FOLDED	60 lbs	56	84
T4347XHC	43	47	C, W, B	1.1	100	FOLDED	80 lbs	56	70
ST4347X1C	43	47	C, W, B	1.5	100	FOLDED	90 lbs	56	63
ST4347X2C	43	47	C, W, B	2	100	FOLDED	100 lbs	56	56

# Recycled PGB Series

### **Product Features**

- Earth-friendly & certified for Recycled Content
- Ideal for the tough applications
- Superior strength and puncture resistance
- Packed on coreless rolls or individually folded
- Star seal provides extra durability









Recycl	ed P	GB Se	ries								
ITEM	В	AG		BAG	CASE	CASE PACK	MAX. DRY	GALLON	SKID	ROLLS/	BAGS/
NUMBER	WIDTH	/ LENGTH	COLOR	GAUGE	COUNT	PUT UP	LOAD CAP.	CAP.	COUNT	CASE*	ROLL*
PGB-2431	24	23	Black	1	500	FOLDED	40 lbs	7-10	77	10	50
PGB-3231	24	32	Black	1	500	FOLDED	40 lbs	12-16	56	10	50
PGB-4351	26	42	Black	1.5	100	FOLDED	80 lbs	30	91	5	20
PGB-3741	30	36	Black	1	250	FOLDED	65 lbs	20-30	77	10	25
PGB-3751	30	36	Black	1.5	250	FOLDED	80 lbs	20-30	56	10	25
PGB-3771	30	36	Black	1.5 EQ	200	FOLDED	75 lbs	20-30	77	10	20
PGB-4041	33	39	Black	1	250	FOLDED	65 lbs	33	63	10	25
PGB-4051	33	39	Black	1.5	100	FOLDED	80 lbs	33	84	5	20
PGB-4061	33	39	Black	2	100	FOLDED	95 lbs	33	77	10	10
PGB-4071	33	39	Black	1.50 EQ	100	FOLDED	75 lbs	33	91	5	20
PGB-4081	33	39	Black	2.00 EQ	100	FOLDED	85 lbs	33	70	10	10
PGB-6041	36	58	Black	1	100	FOLDED	65 lbs	55	70	5	20
PGB-6051	36	58	Black	1.5	100	FOLDED	80 lbs	55	63	5	20
PGB-6061	36	58	Black	2	100	FOLDED	95 lbs	55	56	10	10
PGB-6071	36	58	Black	1.50 EQ	100	FOLDED	75 lbs	55	77	5	20
PGB-6081	36	58	Black	2.00 EQ	100	FOLDED	85 lbs	55	56	10	10
PGB-6141	38	58	Black	1	100	FOLDED	65 lbs	60	70	5	20
PGB-6151	38	58	Black	1.5	100	FOLDED	80 lbs	60	50	5	20
PGB-6161	38	58	Black	2	100	FOLDED	95 lbs	60	49	10	10
PGB-6171	38	58	Black	1.50 EQ	100	FOLDED	75 lbs	60	77	5	20
PGB-6181	38	58	Black	2.00 EQ	100	FOLDED	85 lbs	60	56	10	10
PGB-4631	40	46	Black	1	100	FOLDED	65 lbs	40-45	84	5	20
PGB-4651	40	46	Black	1.5	100	FOLDED	80 lbs	40-45	77	5	20
PGB-4661	40	46	Black	2	100	FOLDED	95 lbs	40-45	56	10	10
PGB-4671	40	46	Black	1.50 EQ	100	FOLDED	75 lbs	40-45	70	5	20
PGB-4681	40	46	Black	2.00 EQ	100	FOLDED	85 lbs	40-45	63	10	10
PGB-4741	43	47	Black	1	100	FOLDED	65 lbs	56	70	5	20
PGB-4751	43	47	Black	1.5	100	FOLDED	80 lbs	56	63	5	20
PGB-4761	43	47	Black	2	100	FOLDED	95 lbs	56	56	10	10
PGB-4771	43	47	Black	1.50 EQ	100	FOLDED	75 lbs	56	70	5	20
PGB-4781	43	47	Black	2.00 EQ	100	FOLDED	85 lbs	56	63	10	10
PGB-5041	46	50	Black	1	100	FOLDED	65 lbs	60	70	5	20
PGB-4360XH	43	60	Black	1.5	100	FOLDED	80 lbs	FITZALL	56	5	20
PGB-4360XX	H 43	60	Black	2	100	FOLDED	95 lbs	FITZALL	35	10	10
PGB-5051	46	50	Black	1.5	100	FOLDED	80 lbs	60	63	5	20

#### Note: Due to the recycled content properties, color may vary.

\*Skid count subject to change based on shipment requirements

Add "R" in front of the item number: Example RPGB-2431

## Why Repro?

- Significantly cheaper than a virgin linear low density trash bags
- Strong and durable
- Popular anywhere sharp objects are being thrown away

Minimum 65% pre-consumer recycled LLDPE resign content in our 2 mil, 2 mil eq, and 1.5 mil.

25% pre-consumer recycled LLDPE resin content in our 1.5 mil eq and 1 mil

<sup>\*</sup>Indicates roll count when ordering coreless rolls.

# Recycled T Series

### **Product Features**


- Earth-friendly & certified for Recycled Content
- Reduced nominal gauge without sacrificing bag performance
- Superior strength and puncture resistance
- Packed on coreless rolls or individually folded
- Star seal provides extra durability











### Note: Due to the recycled content properties, color may vary.

\*Skid count subject to change based on shipment requirements

\*Indicates roll count when ordering coreless rolls.

Add "R" in front of the item number: Example RPGB-2431

\*For bag gauge details email aturner@revivesupplies.com

Minimum 65% pre-consumer recycled LLDPE resign content in our XX=Heavy and X-Heavy.

Minimum 25% pre-consumer recycled LLDPE resign content in our Heavy.





# Premium HDPE Natural

### **Product Features**

- Premium HDPE resins
- Strong HDPE film offers significant source reduction
- Packed on coreless rolls and in plain white boxes
- Excellent odor and moisture barrier
- Star seal provides extra durability
- Clear color ideal for foodservice applications

# Premium HDPE Black

## **Product Features**

- Made with a blend of Prime and Recycled resins
- Earth-friendly & significant source reduction vs. LLD
- Packed on coreless rolls
- Packed in brown "earthfriendly" boxes
- Excellent odor and moisture barrier
- Black film to hide contents

Black HDPE are cheaper than clear high density bags because they use a blend of virgin and recycled resign. They have a true gauge and offer superior strength for various applications.

Premiu	um Hl	DPE N	latura	ıl						
ITEM	В	AG	BAG	CASE	CASE PACK	MAX, DRY	GALLON	SKID	ROLLS/	BAGS/
NUMBER	WIDTH /		GAUGE	COUNT	PUT UP	LOAD CAP.	CAP.	COUNT	CASE*	ROLL*
R171806N	17	18	6	2000	CORELESS	15 lbs	4	70	40	50
R171808N	17	18	8	2000	CORELESS	20 lbs	4	70	40	50
R202206N	20	22	6	2000	CORELESS	15 lbs	7	70	40	50
R202208N	20	22	8	2000	CORELESS	20 lbs	7	70	40	50
R242406N	24	24	6	1000	CORELESS	15 lbs	7-10	70	20	50
R242408N	24	24	8	1000	CORELESS	20 lbs	7-10	70	20	50
R243306N	24	33	6	1000	CORELESS	15 lbs	12-16	70	20	50
R243308N	24	33	8	1000	CORELESS	20 lbs	12-16	70	20	50
R303708N	30	37	8	500	CORELESS	20 lbs	30	70	10	50
R303710N	30	37	10	500	CORELESS	30 lbs	30	70	10	50
R303713N	30	37	13	500	CORELESS	50 lbs	30	70	10	50
R303716N	30	37	16	500	CORELESS	75 lbs	30	70	10	50
R334008N	33	40	8	500	CORELESS	20 lbs	33	70	10	50
R334011N	33	40	11	500	CORELESS	35 lbs	33	70	10	50
R334013N	33	40	13	500	CORELESS	50 lbs	33	70	10	50
R334016N	33	40	16	250	CORELESS	75 lbs	33	70	10	25
R334017N	33	40	17	250	CORELESS	80 lbs	33	70	10	25
R334019N	33	40	19	250	CORELESS	85 lbs	33	70	10	25
R334022N	33	40	22	250	CORELESS	85 lbs	33	70	10	25
R366012N	36	60	12	200	CORELESS	45 lbs	55	70	8	25
R366014N	36	60	14	200	CORELESS	55 lbs	55	70	8	25
R366017N	36	60	16	200	CORELESS	80 lbs	55	70	8	25
R366022N	36	60	22	150	CORELESS	85 lbs	55	70	10	15
R374612N	37	46	12	250	CORELESS	45 lbs	44	70	10	25
R374614N	37	46	14	250	CORELESS	55 lbs	44	70	10	25
R374616N	37	46	16	250	CORELESS	75 lbs	44	70	10	25
R386012N	38	60	12	200	CORELESS	45 lbs	60	70	8	25
R386014N	38	60	14	200	CORELESS	55 lbs	60	70	8	25
R386016N	38	60	16	200	CORELESS	75 lbs	60	70	8	25
R386017N	38	60	17	200	CORELESS	80 lbs	60	70	8	25
R386022N	38	60	22	150	CORELESS	85 lbs	60	70	10	15
R404810N	40	48	10	250	CORELESS	30 lbs	40-45	70	10	25
R404812N	40	48	12	250	CORELESS	45 lbs	40-45	70	10	25
R404814N	40	48	14	250	CORELESS	55 lbs	40-45	70	10	25
R404816N	40	48	16	250	CORELESS	75 lbs	40-45	70	10	25
R404817N	40	48	17	250	CORELESS	80 lbs	40-45	70	10	25
R404819N	40	48	19	200	CORELESS	85 lbs	40-45	70	8	25
R404822N	40	48	22	150	CORELESS	85 lbs	40-45	70	10	15
R434812N	43	48	12	200	CORELESS	45 lbs	56	70	8	25
R434814N	43	48	14	200	CORELESS	55 lbs	56	70	8	25
R434816N			41.48	200	CORELESS	75 lbs	56	70	8	25
1110101011	43	48	16	200		7 5 108		70	0	
R434817N		48 48	16 17	200	CORELESS	80 lbs	56	70	8	25
	43									

Extra	Stron	g HDF	PE Bla	ick					
ITEM	BA	AG		BAG	CASE	CASE PACK	MAX. DRY	GALLON	SKID
NUMBER	WIDTH /	LENGTH	COLOR	GAUGE	COUNT	PUT UP	LOAD CAP.	CAP.	COUNT
R334013K	33	40	Black	13	500	CORELESS	50 lbs	33	70
R334016K	33	40	Black	16	250	CORELESS	75 lbs	33	70
R374614K	37	46	Black	14	250	CORELESS	55 lbs	44	70
R374616K	37	46	Black	16	250	CORELESS	75 lbs	44	70
R386014K	38	60	Black	14	200	CORELESS	55 lbs	60	70
R386016K	38	60	Black	16	200	CORELESS	80 lbs	60	70
R386022K	38	60	Black	22	150	CORELESS	85 lbs	60	70
R404814K	40	48	Black	14	250	CORELESS	55 lbs	45	70
R404816K	40	48	Black	16	250	CORELESS	75 lbs	45	70
R404819K	40	48	Black	19	200	CORELESS	85 lbs	45	70
R404822K	40	48	Black	22	150	CORELESS	85 lbs	45	70
R434814K	43	48	Black	14	200	CORELESS	55 lbs	56	70
R434816K	43	48	Black	16	200	CORELESS	75 lbs	56	70
R434822K	43	48	Black	22	150	CORELESS	85 lbs	56	70

<sup>\*</sup>Skid count subject to change based on shipping requirements

# **TruFit Series**

## **Product Features**

- Premium HDPE resins
- Strong HDPE film offers significant source reduction
- Packed on coreless rolls and in plain white boxes
- Excellent odor and moisture barrier
- Star seal provides extra durability
- Clear color ideal for foodservice applications

## Why Nominal High Density?

- Reduces landfill waste by over 10%
- Industry standard tolerances on gauge and size to compete with imports
- •Series is 10% less of the gauge
- Quality raw materials and manufacturing process ensures reliability

NUMBER   WIDTH / LENGTH   GAUGE   COUNT   PUT UP   LOAD CAP.   CAP.   COUNT   CASE*   ROL	High De	nsity	/ Line	rs on F	Rolls						
CSR242406N	ITEM	BA	AG	BAG	CASE	CASE PACK	MAX. DRY	GALLON	SKID	ROLLS/	BAGS/
CSR242406N	NUMBER	WIDTH	/LENGTH			PUT UP	LOAD CAP.	CAP.	COUNT	CASE*	ROLL*
CSR242408N   24   24   8 Eq   1000   CORELESS   20 lbs   7-10gal   70   20   50	CSR242406N	24	24	6 Eq	1000	CORELESS	15 lbs	7-10gal	70		
CSR243308N         24         33         8 Eq         1000         CORRLESS         20 lbs         12-16         70         20         50           CSR3037110N         30         37         10 Eq         500         CORELESS         30 lbs         30         70         10         50           CSR303711SN         30         37         13 Eq         500         CORELESS         50 lbs         30         70         10         50           CSR334011N         33         40         11 Eq         500         CORELESS         55 lbs         33         70         10         50           CSR334011N         33         40         13 Eq         500         CORELESS         50 lbs         33         70         10         50           CSR334017N         33         40         17 Eq         250         CORELESS         50 lbs         33         70         10         25           CSR334017N         33         40         19 Eq         250         CORELESS         85 lbs         33         70         10         25           CSR334019N         33         40         19 Eq         250         CORELESS         85 lbs         33         70	CSR242408N	24	24	-		CORELESS			70	20	50
CSR303710N         30         37         10 Eq         500         CORELESS         30 lbs         30         70         10         50           CSR303718N         30         37         13 Eq         500         CORELESS         50 lbs         30         70         10         50           CSR334011N         30         37         16 Eq         500         CORELESS         75 lbs         30         70         10         50           CSR334011N         33         40         11 Eq         500         CORELESS         35 lbs         33         70         10         50           CSR334018N         33         40         16 Eq         250         CORELESS         50 lbs         33         70         10         25           CSR334018N         33         40         16 Eq         250         CORELESS         80 lbs         33         70         10         25           CSR334019N         33         40         19 Eq         250         CORELESS         85 lbs         33         70         10         25           CSR336011N         36         60         11 Eq         250         CORELESS         35 lbs         55         70	CSR243306N	24	33	6 Eq	1000	CORELESS	15 lbs	12-16	70	20	50
CSR303713N         30         37         13 Eq         500         CORELESS         50 lbs         30         70         10         50           CSR303716N         30         37         16 Eq         500         CORELESS         75 lbs         30         70         10         50           CSR334011N         33         40         11 Eq         500         CORELESS         50 lbs         33         70         10         50           CSR334016N         33         40         16 Eq         250         CORELESS         50 lbs         33         70         10         25           CSR334019N         33         40         17 Eq         250         CORELESS         80 lbs         33         70         10         25           CSR334019N         33         40         19 Eq         250         CORELESS         80 lbs         33         70         10         25           CSR336011N         36         60         11 Eq         200         CORELESS         85 lbs         55         70         8         25           CSR366012N         36         60         12 Eq         200         CORELESS         45 lbs         55         70	CSR243308N	24	33	8 Eq	1000	CORELESS	20 lbs	12-16	70	20	50
CSR303716N         30         37         16 Eq         500         CORELESS         75 lbs         30         70         10         50           CSR334011N         33         40         11 Eq         500         CORELESS         35 lbs         33         70         10         50           CSR334013N         33         40         13 Eq         500         CORELESS         50 lbs         33         70         10         50           CSR334017N         33         40         16 Eq         250         CORELESS         75 lbs         33         70         10         25           CSR334017N         33         40         19 Eq         250         CORELESS         80 lbs         33         70         10         25           CSR334019N         33         40         19 Eq         250         CORELESS         85 lbs         33         70         10         25           CSR3366011N         36         60         11 Eq         200         CORELESS         85 lbs         55         70         8         25           CSR366014N         36         60         12 Eq         200         CORELESS         45 lbs         55         70	CSR303710N	30	37	10 Eq	500	CORELESS	30 lbs	30	70	10	50
CSR334011N         33         40         11 Eq         500         CORELESS         35 lbs         33         70         10         50           CSR334013N         33         40         13 Eq         500         CORELESS         50 lbs         33         70         10         50           CSR334016N         33         40         16 Eq         250         CORELESS         75 lbs         33         70         10         25           CSR334019N         33         40         19 Eq         250         CORELESS         85 lbs         33         70         10         25           CSR33402N         33         40         19 Eq         250         CORELESS         85 lbs         33         70         10         25           CSR346011N         36         60         11 Eq         200         CORELESS         35 lbs         55         70         8         25           CSR366012N         36         60         12 Eq         200         CORELESS         35 lbs         55         70         8         25           CSR366012N         36         60         12 Eq         200         CORELESS         35 lbs         55         70         <	CSR303713N	30	37	13 Eq	500	CORELESS	50 lbs	30	70	10	50
CSR334013N         33         40         13 Eq         500         CORELESS         50 lbs         33         70         10         50           CSR334016N         33         40         16 Eq         250         CORELESS         75 lbs         33         70         10         25           CSR334019N         33         40         19 Eq         250         CORELESS         85 lbs         33         70         10         25           CSR334022N         33         40         22 Eq         250         CORELESS         85 lbs         33         70         10         25           CSR366011N         36         60         11 Eq         200         CORELESS         35 lbs         55         70         8         25           CSR366012N         36         60         12 Eq         200         CORELESS         45 lbs         55         70         8         25           CSR366017N         36         60         16 Eq         200         CORELESS         45 lbs         55         70         8         25           CSR366017N         36         60         12 Eq         200         CORELESS         85 lbs         55         70         <	CSR303716N	30	37	16 Eq	500	CORELESS	75 lbs	30	70	10	50
CSR334016N         33         40         16 Eq         250         CORELESS         75 lbs         33         70         10         25           CSR334017N         33         40         17 Eq         250         CORELESS         80 lbs         33         70         10         25           CSR334019N         33         40         19 Eq         250         CORELESS         85 lbs         33         70         10         25           CSR346011N         36         60         11 Eq         200         CORELESS         35 lbs         55         70         8         25           CSR366012N         36         60         12 Eq         200         CORELESS         45 lbs         55         70         8         25           CSR366014N         36         60         14 Eq         200         CORELESS         45 lbs         55         70         8         25           CSR366017N         36         60         16 Eq         200         CORELESS         55 lbs         55         70         8         25           CSR374612N         37         46         12 Eq         250         CORELESS         45 lbs         44         70 <t< td=""><td>CSR334011N</td><td>33</td><td>40</td><td>11 Eq</td><td>500</td><td>CORELESS</td><td>35 lbs</td><td>33</td><td>70</td><td>10</td><td>50</td></t<>	CSR334011N	33	40	11 Eq	500	CORELESS	35 lbs	33	70	10	50
CSR334017N         33         40         17 Eq         250         CORELESS         80 lbs         33         70         10         25           CSR334019N         33         40         19 Eq         250         CORELESS         85 lbs         33         70         10         25           CSR36011N         36         60         11 Eq         200         CORELESS         35 lbs         55         70         8         25           CSR366012N         36         60         12 Eq         200         CORELESS         45 lbs         55         70         8         25           CSR366014N         36         60         14 Eq         200         CORELESS         45 lbs         55         70         8         25           CSR366017N         36         60         16 Eq         200         CORELESS         80 lbs         55         70         8         25           CSR36602N         36         60         22 Eq         150         CORELESS         80 lbs         55         70         10         15           CSR374612N         37         46         12 Eq         250         CORELESS         45 lbs         44         70	CSR334013N	33	40	13 Eq	500	CORELESS	50 lbs	33	70	10	50
CSR334019N         33         40         19 Eq         250         CORELESS         85 lbs         33         70         10         25           CSR334022N         33         40         22 Eq         250         CORELESS         85 lbs         33         70         10         25           CSR366011N         36         60         11 Eq         200         CORELESS         45 lbs         55         70         8         25           CSR366012N         36         60         14 Eq         200         CORELESS         45 lbs         55         70         8         25           CSR366017N         36         60         16 Eq         200         CORELESS         55 lbs         55         70         8         25           CSR366017N         36         60         12 Eq         200         CORELESS         80 lbs         55         70         8         25           CSR374612N         37         46         12 Eq         250         CORELESS         45 lbs         44         70         10         25           CSR374614N         37         46         16 Eq         250         CORELESS         75 lbs         44         70 <t< td=""><td>CSR334016N</td><td>33</td><td>40</td><td>16 Eq</td><td>250</td><td>CORELESS</td><td>75 lbs</td><td>33</td><td>70</td><td>10</td><td>25</td></t<>	CSR334016N	33	40	16 Eq	250	CORELESS	75 lbs	33	70	10	25
CSR334022N         33         40         22 Eq         250         CORELESS         85 lbs         33         70         10         25           CSR366011N         36         60         11 Eq         200         CORELESS         35 lbs         55         70         8         25           CSR366012N         36         60         14 Eq         200         CORELESS         45 lbs         55         70         8         25           CSR366017N         36         60         16 Eq         200         CORELESS         55 lbs         55         70         8         25           CSR36602N         36         60         12 Eq         200         CORELESS         80 lbs         55         70         8         25           CSR374612N         37         46         12 Eq         250         CORELESS         45 lbs         44         70         10         25           CSR374614N         37         46         14 Eq         250         CORELESS         55 lbs         44         70         10         25           CSR374616N         37         46         16 Eq         250         CORELESS         75 lbs         44         70 <th< td=""><td>CSR334017N</td><td>33</td><td>40</td><td>17 Eq</td><td>250</td><td>CORELESS</td><td>80 lbs</td><td>33</td><td>70</td><td>10</td><td>25</td></th<>	CSR334017N	33	40	17 Eq	250	CORELESS	80 lbs	33	70	10	25
CSR366011N         36         60         11 Eq         200         CORELESS         35 lbs         55         70         8         25           CSR366012N         36         60         12 Eq         200         CORELESS         45 lbs         55         70         8         25           CSR366014N         36         60         14 Eq         200         CORELESS         55 lbs         55         70         8         25           CSR366017N         36         60         16 Eq         200         CORELESS         80 lbs         55         70         8         25           CSR376612N         36         60         22 Eq         150         CORELESS         85 lbs         55         70         10         15           CSR374612N         37         46         12 Eq         250         CORELESS         45 lbs         44         70         10         25           CSR374614N         37         46         14 Eq         250         CORELESS         55 lbs         44         70         10         25           CSR386012N         38         60         12 Eq         200         CORELESS         75 lbs         44         70 <t< td=""><td>CSR334019N</td><td>33</td><td>40</td><td>19 Eq</td><td>250</td><td>CORELESS</td><td>85 lbs</td><td>33</td><td>70</td><td>10</td><td>25</td></t<>	CSR334019N	33	40	19 Eq	250	CORELESS	85 lbs	33	70	10	25
CSR366012N         36         60         12 Eq         200         CORELESS         45 lbs         55         70         8         25           CSR366014N         36         60         14 Eq         200         CORELESS         55 lbs         55         70         8         25           CSR366017N         36         60         16 Eq         200         CORELESS         80 lbs         55         70         8         25           CSR366022N         36         60         22 Eq         150         CORELESS         85 lbs         55         70         10         15           CSR374612N         37         46         12 Eq         250         CORELESS         45 lbs         44         70         10         25           CSR374614N         37         46         14 Eq         250         CORELESS         55 lbs         44         70         10         25           CSR374616N         37         46         16 Eq         250         CORELESS         75 lbs         44         70         10         25           CSR386012N         38         60         12 Eq         200         CORELESS         45 lbs         60         70         <	CSR334022N	33	40	22 Eq	250	CORELESS	85 lbs	33	70	10	25
CSR366014N         36         60         14 Eq         200         CORELESS         55 lbs         55         70         8         25           CSR366017N         36         60         16 Eq         200         CORELESS         80 lbs         55         70         8         25           CSR366022N         36         60         22 Eq         150         CORELESS         85 lbs         55         70         10         15           CSR374612N         37         46         12 Eq         250         CORELESS         45 lbs         44         70         10         25           CSR374616N         37         46         16 Eq         250         CORELESS         55 lbs         44         70         10         25           CSR34611N         38         60         12 Eq         250         CORELESS         75 lbs         44         70         10         25           CSR386012N         38         60         14 Eq         200         CORELESS         45 lbs         60         70         8         25           CSR386017N         38         60         17 Eq         200         CORELESS         55 lbs         60         70 <t< td=""><td>CSR366011N</td><td>36</td><td>60</td><td>11 Eq</td><td>200</td><td>CORELESS</td><td>35 lbs</td><td>55</td><td>70</td><td>8</td><td>25</td></t<>	CSR366011N	36	60	11 Eq	200	CORELESS	35 lbs	55	70	8	25
CSR366017N         36         60         16 Eq         200         CORELESS         80 lbs         55         70         8         25           CSR366022N         36         60         22 Eq         150         CORELESS         85 lbs         55         70         10         15           CSR374612N         37         46         12 Eq         250         CORELESS         45 lbs         44         70         10         25           CSR374614N         37         46         14 Eq         250         CORELESS         55 lbs         44         70         10         25           CSR374616N         37         46         16 Eq         250         CORELESS         55 lbs         44         70         10         25           CSR386012N         38         60         12 Eq         200         CORELESS         45 lbs         60         70         8         25           CSR386014N         38         60         17 Eq         200         CORELESS         55 lbs         60         70         8         25           CSR386022N         38         60         22 Eq         150         CORELESS         85 lbs         60         70         <	CSR366012N	36	60	12 Eq	200	CORELESS	45 lbs	55	70	8	25
CSR366022N         36         60         22 Eq         150         CORELESS         85 lbs         55         70         10         15           CSR374612N         37         46         12 Eq         250         CORELESS         45 lbs         44         70         10         25           CSR374614N         37         46         14 Eq         250         CORELESS         55 lbs         44         70         10         25           CSR374616N         37         46         16 Eq         250         CORELESS         75 lbs         44         70         10         25           CSR386012N         38         60         12 Eq         200         CORELESS         45 lbs         60         70         8         25           CSR386014N         38         60         14 Eq         200         CORELESS         55 lbs         60         70         8         25           CSR386017N         38         60         17 Eq         200         CORELESS         80 lbs         60         70         8         25           CSR386022N         38         60         22 Eq         150         CORELESS         85 lbs         60         70         <	CSR366014N	36	60	14 Eq	200	CORELESS	55 lbs	55	70	8	25
CSR374612N         37         46         12 Eq         250         CORELESS         45 lbs         44         70         10         25           CSR374614N         37         46         14 Eq         250         CORELESS         55 lbs         44         70         10         25           CSR374616N         37         46         16 Eq         250         CORELESS         75 lbs         44         70         10         25           CSR386012N         38         60         12 Eq         200         CORELESS         45 lbs         60         70         8         25           CSR386014N         38         60         14 Eq         200         CORELESS         55 lbs         60         70         8         25           CSR386017N         38         60         17 Eq         200         CORELESS         80 lbs         60         70         8         25           CSR386022N         38         60         22 Eq         150         CORELESS         85 lbs         60         70         10         15           CSR404810N         40         48         10 Eq         250         CORELESS         30 lbs         40-45         70	CSR366017N	36	60	16 Eq	200	CORELESS	80 lbs	55	70	8	25
CSR374614N         37         46         14 Eq         250         CORELESS         55 lbs         44         70         10         25           CSR374616N         37         46         16 Eq         250         CORELESS         75 lbs         44         70         10         25           CSR386012N         38         60         12 Eq         200         CORELESS         45 lbs         60         70         8         25           CSR386014N         38         60         14 Eq         200         CORELESS         55 lbs         60         70         8         25           CSR386017N         38         60         17 Eq         200         CORELESS         80 lbs         60         70         8         25           CSR386022N         38         60         22 Eq         150         CORELESS         85 lbs         60         70         10         15           CSR404810N         40         48         10 Eq         250         CORELESS         30 lbs         40-45         70         10         25           CSR404812N         40         48         14 Eq         250         CORELESS         55 lbs         40-45         70	CSR366022N	36	60	22 Eq	150	CORELESS	85 lbs	55	70	10	15
CSR374616N         37         46         16 Eq         250         CORELESS         75 lbs         44         70         10         25           CSR386012N         38         60         12 Eq         200         CORELESS         45 lbs         60         70         8         25           CSR386014N         38         60         14 Eq         200         CORELESS         55 lbs         60         70         8         25           CSR386017N         38         60         17 Eq         200         CORELESS         80 lbs         60         70         8         25           CSR386022N         38         60         22 Eq         150         CORELESS         85 lbs         60         70         10         15           CSR404810N         40         48         10 Eq         250         CORELESS         30 lbs         40-45         70         10         25           CSR404812N         40         48         12 Eq         250         CORELESS         45 lbs         40-45         70         10         25           CSR404814N         40         48         14 Eq         250         CORELESS         55 lbs         40-45         70	CSR374612N	37	46	12 Eq	250	CORELESS	45 lbs	44	70	10	25
CSR386012N         38         60         12 Eq         200         CORELESS         45 lbs         60         70         8         25           CSR386014N         38         60         14 Eq         200         CORELESS         55 lbs         60         70         8         25           CSR386017N         38         60         17 Eq         200         CORELESS         80 lbs         60         70         8         25           CSR386022N         38         60         22 Eq         150         CORELESS         85 lbs         60         70         10         15           CSR404810N         40         48         10 Eq         250         CORELESS         30 lbs         40-45         70         10         25           CSR404812N         40         48         12 Eq         250         CORELESS         45 lbs         40-45         70         10         25           CSR404814N         40         48         14 Eq         250         CORELESS         55 lbs         40-45         70         10         25           CSR404816N         40         48         16 Eq         250         CORELESS         75 lbs         40-45         70 <td>CSR374614N</td> <td>37</td> <td>46</td> <td>14 Eq</td> <td>250</td> <td>CORELESS</td> <td>55 lbs</td> <td>44</td> <td>70</td> <td>10</td> <td>25</td>	CSR374614N	37	46	14 Eq	250	CORELESS	55 lbs	44	70	10	25
CSR386014N         38         60         14 Eq         200         CORELESS         55 lbs         60         70         8         25           CSR386017N         38         60         17 Eq         200         CORELESS         80 lbs         60         70         8         25           CSR386022N         38         60         22 Eq         150         CORELESS         85 lbs         60         70         10         15           CSR404810N         40         48         10 Eq         250         CORELESS         30 lbs         40-45         70         10         25           CSR404812N         40         48         12 Eq         250         CORELESS         45 lbs         40-45         70         10         25           CSR404814N         40         48         14 Eq         250         CORELESS         55 lbs         40-45         70         10         25           CSR404816N         40         48         16 Eq         250         CORELESS         75 lbs         40-45         70         10         25           CSR404817N         40         48         17 Eq         250         CORELESS         85 lbs         40-45         7	CSR374616N	37	46	16 Eq	250	CORELESS	75 lbs	44	70	10	25
CSR386017N         38         60         17 Eq         200         CORELESS         80 lbs         60         70         8         25           CSR386022N         38         60         22 Eq         150         CORELESS         85 lbs         60         70         10         15           CSR404810N         40         48         10 Eq         250         CORELESS         30 lbs         40-45         70         10         25           CSR404812N         40         48         12 Eq         250         CORELESS         45 lbs         40-45         70         10         25           CSR404814N         40         48         14 Eq         250         CORELESS         55 lbs         40-45         70         10         25           CSR404816N         40         48         16 Eq         250         CORELESS         75 lbs         40-45         70         10         25           CSR404817N         40         48         17 Eq         250         CORELESS         80 lbs         40-45         70         10         25           CSR404822N         40         48         19 Eq         200         CORELESS         85 lbs         40-45         <	CSR386012N	38	60	12 Eq	200	CORELESS	45 lbs	60	70	8	25
CSR386022N         38         60         22 Eq         150         CORELESS         85 lbs         60         70         10         15           CSR404810N         40         48         10 Eq         250         CORELESS         30 lbs         40-45         70         10         25           CSR404812N         40         48         12 Eq         250         CORELESS         45 lbs         40-45         70         10         25           CSR404814N         40         48         14 Eq         250         CORELESS         55 lbs         40-45         70         10         25           CSR404816N         40         48         16 Eq         250         CORELESS         75 lbs         40-45         70         10         25           CSR404817N         40         48         17 Eq         250         CORELESS         80 lbs         40-45         70         10         25           CSR404819N         40         48         19 Eq         200         CORELESS         85 lbs         40-45         70         8         25           CSR404822N         40         48         22 Eq         150         CORELESS         85 lbs         40-45	CSR386014N	38	60	14 Eq	200	CORELESS	55 lbs	60	70	8	25
CSR404810N         40         48         10 Eq         250         CORELESS         30 lbs         40-45         70         10         25           CSR404812N         40         48         12 Eq         250         CORELESS         45 lbs         40-45         70         10         25           CSR404814N         40         48         14 Eq         250         CORELESS         55 lbs         40-45         70         10         25           CSR404816N         40         48         16 Eq         250         CORELESS         75 lbs         40-45         70         10         25           CSR404817N         40         48         17 Eq         250         CORELESS         80 lbs         40-45         70         10         25           CSR404819N         40         48         19 Eq         200         CORELESS         85 lbs         40-45         70         8         25           CSR404822N         40         48         22 Eq         150         CORELESS         85 lbs         40-45         70         10         15           CSR434814N         43         48         14 Eq         200         CORELESS         55 lbs         56	CSR386017N	38	60	17 Eq	200	CORELESS	80 lbs	60	70	8	25
CSR404812N         40         48         12 Eq         250         CORELESS         45 lbs         40-45         70         10         25           CSR404814N         40         48         14 Eq         250         CORELESS         55 lbs         40-45         70         10         25           CSR404816N         40         48         16 Eq         250         CORELESS         75 lbs         40-45         70         10         25           CSR404817N         40         48         17 Eq         250         CORELESS         80 lbs         40-45         56         10         25           CSR404819N         40         48         19 Eq         200         CORELESS         85 lbs         40-45         70         8         25           CSR404822N         40         48         22 Eq         150         CORELESS         85 lbs         40-45         70         10         15           CSR434814N         43         48         14 Eq         200         CORELESS         55 lbs         56         70         8         25           CSR434817N         43         48         16 Eq         200         CORELESS         75 lbs         56 <t< td=""><td>CSR386022N</td><td>38</td><td>60</td><td>22 Eq</td><td>150</td><td>CORELESS</td><td>85 lbs</td><td>60</td><td>70</td><td>10</td><td>15</td></t<>	CSR386022N	38	60	22 Eq	150	CORELESS	85 lbs	60	70	10	15
CSR404814N         40         48         14 Eq         250         CORELESS         55 lbs         40-45         70         10         25           CSR404816N         40         48         16 Eq         250         CORELESS         75 lbs         40-45         70         10         25           CSR404817N         40         48         17 Eq         250         CORELESS         80 lbs         40-45         56         10         25           CSR404819N         40         48         19 Eq         200         CORELESS         85 lbs         40-45         70         8         25           CSR404822N         40         48         22 Eq         150         CORELESS         85 lbs         40-45         70         10         15           CSR434814N         43         48         14 Eq         200         CORELESS         55 lbs         56         70         8         25           CSR434817N         43         48         17 Eq         200         CORELESS         80 lbs         56         70         8         25	CSR404810N	40	48	10 Eq	250	CORELESS	30 lbs	40-45	70	10	25
CSR404816N         40         48         16 Eq         250         CORELESS         75 lbs         40-45         70         10         25           CSR404817N         40         48         17 Eq         250         CORELESS         80 lbs         40-45         56         10         25           CSR404819N         40         48         19 Eq         200         CORELESS         85 lbs         40-45         70         8         25           CSR404822N         40         48         22 Eq         150         CORELESS         85 lbs         40-45         70         10         15           CSR434814N         43         48         14 Eq         200         CORELESS         55 lbs         56         70         8         25           CSR434816N         43         48         16 Eq         200         CORELESS         75 lbs         56         70         8         25           CSR434817N         43         48         17 Eq         200         CORELESS         80 lbs         56         70         8         25	CSR404812N	40	48	12 Eq	250	CORELESS	45 lbs	40-45	70	10	25
CSR404817N         40         48         17 Eq         250         CORELESS         80 lbs         40-45         56         10         25           CSR404819N         40         48         19 Eq         200         CORELESS         85 lbs         40-45         70         8         25           CSR404822N         40         48         22 Eq         150         CORELESS         85 lbs         40-45         70         10         15           CSR434814N         43         48         14 Eq         200         CORELESS         55 lbs         56         70         8         25           CSR434816N         43         48         16 Eq         200         CORELESS         75 lbs         56         70         8         25           CSR434817N         43         48         17 Eq         200         CORELESS         80 lbs         56         70         8         25	CSR404814N	40	48	14 Eq	250	CORELESS	55 lbs	40-45	70	10	25
CSR404819N         40         48         19 Eq         200         CORELESS         85 lbs         40-45         70         8         25           CSR404822N         40         48         22 Eq         150         CORELESS         85 lbs         40-45         70         10         15           CSR434814N         43         48         14 Eq         200         CORELESS         55 lbs         56         70         8         25           CSR434816N         43         48         16 Eq         200         CORELESS         75 lbs         56         70         8         25           CSR434817N         43         48         17 Eq         200         CORELESS         80 lbs         56         70         8         25	CSR404816N	40	48	16 Eq	250	CORELESS	75 lbs	40-45	70	10	25
CSR404822N         40         48         22 Eq         150         CORELESS         85 lbs         40-45         70         10         15           CSR434814N         43         48         14 Eq         200         CORELESS         55 lbs         56         70         8         25           CSR434816N         43         48         16 Eq         200         CORELESS         75 lbs         56         70         8         25           CSR434817N         43         48         17 Eq         200         CORELESS         80 lbs         56         70         8         25	CSR404817N	40	48	17 Eq	250	CORELESS	80 lbs	40-45	56	10	25
CSR434814N         43         48         14 Eq         200         CORELESS         55 lbs         56         70         8         25           CSR434816N         43         48         16 Eq         200         CORELESS         75 lbs         56         70         8         25           CSR434817N         43         48         17 Eq         200         CORELESS         80 lbs         56         70         8         25	CSR404819N	40	48	19 Eq	200	CORELESS	85 lbs	40-45	70	8	25
CSR434816N         43         48         16 Eq         200         CORELESS         75 lbs         56         70         8         25           CSR434817N         43         48         17 Eq         200         CORELESS         80 lbs         56         70         8         25	CSR404822N	40	48	22 Eq	150	CORELESS	85 lbs	40-45	70	10	15
CSR434817N 43 48 17 Eq 200 CORELESS 80 lbs 56 70 8 25	CSR434814N	43	48	14 Eq	200	CORELESS	55 lbs	56	70	8	25
	CSR434816N	43	48	16 Eq	200	CORELESS	75 lbs	56	70	8	25
CSR434822N 43 48 22 Eq 150 CORELESS 85 lbs 56 70 10 15	CSR434817N	43	48	17 Eq	200	CORELESS	80 lbs	56	70	8	25
	CSR434822N	43	48	22 Eq	150	CORELESS	85 lbs	56	70	10	15
CSR486024N 48 60 24 Eq 100 CORELESS 90 lbs 63 70 10 10	CSR486024N	48	60	24 Eq	100	CORELESS	90 lbs	63	70	10	10



<sup>\*</sup>Skid count subject to change based on shipping requirements

## Value HDPE Natural

### **Product Features**

- Premium HDPE resins
- Industry standard tolerance to reduce waste
- Strong HDPE film offers significant source reduction
- Packed on coreless rolls and in plain white boxes
- Excellent odor and moisture barrier



- Clear color ideal for foodservice applications
- Star seal provides extra durability


## Why Value High Density?

 Reduces landfill waste by over 10%



- Industry standard tolerances on gauge and size to compete with imports!
- Quality raw materials and manufacturing process ensures reliability

Value HI	OPE N	atural						
ITEM	ВА	G		CASE	CASE PACK	MAX. DRY	GALLON	SKID
NUMBER	WIDTH /	LENGTH	COLOR	COUNT	PUT UP	LOAD CAP.	CAP.	COUNT
RCH303710N	30	36	Natural	500	CORELESS	30 lbs	30	70
RCH303713N	30	36	Natural	500	CORELESS	50 lbs	30	70
RCH303716N	30	36	Natural	500	CORELESS	75 lbs	30	70
RCH334016N	33	39	Natural	250	CORELESS	75 lbs	33	70
RCH334017N	33	39	Natural	250	CORELESS	80 lbs	33	70
RCH386014N	38	58	Natural	200	CORELESS	55 lbs	60	70
RCH386016N	38	58	Natural	200	CORELESS	80 lbs	60	70
RCH386022N	38	58	Natural	150	CORELESS	85 lbs	60	70
RCH404812N	40	46	Natural	250	CORELESS	45 lbs	45	70
RCH404814N	40	46	Natural	250	CORELESS	55 lbs	45	70
RCH404816N	40	46	Natural	250	CORELESS	75 lbs	45	70
RCH434812N	43	46	Natural	200	CORELESS	45 lbs	56	70
RCH434814N	43	46	Natural	200	CORELESS	55 lbs	56	70
RCH434816N	43	46	Natural	200	CORELESS	75 lbs	56	70



# Capabilities

# **HDPE Product Capabilities**

#### Custom Products **Pallet Covers & Gaylord**

Liners: These products can be manufactured out of Black Repro or Prime LLD resin.

Box Liners: Liners are made from linear low and high density resins, and can be used in industrial, food processing, and retail applications.

Other Products: These include drum liners, ASBESTOS bags, tubing and sheeting, dough bags, and more.

Materials: LLDPE, Hexene, HDPE, Blends, Additives Recycled/Pre-Consumer, Tints & Colors

\*All Custom Products are made to order and minimum quantities apply.

	MONO LAYER	MONO LAYER
PRODUCT	WIDTH MIN-MAX	GAUGE MIN-MAX
Sleeves, Tubing and		
Flat Tubular w/o Seal		
3" Cores	30-43"	14 mic to 33 mic
GUSSETED BAGS		
Min Gusset Size		
4"	30-48"	14 mic to 33 mic
GUSSETED TUBING		
Min Gusset Size		
4"	30-48"	14 mic to 33 mic
STAR SEAL		
Coreless	17-55"	6 mic to 33 mic
STAR SEAL		
Individually Folded	30-43"	10 mic to 33 mic
ADDI	TIONAL CAPABIL	ITIES
VENTED		

33-55"

38-48"

38-43"

24-30"

33-43"

**HDPE Product Capabilities** 

OFFICE WITH THE	-
	FI
	3'
	3
14 mic to 33 mic	
	Gl
	M
14 mic to 33 mic	4'
14 mile to do mile	
	Gl
14 mic to 33 mic	M
	4'
6 mic to 33 mic	
O IIIIC IO OO IIIIC	S
	Co
10 mic to 33 mic	U
TES	
14 mic to 33 mic	S
	In
14 mic to 33 mic	
14 mic to 33 mic	-
14 mic to 33 mic	B/
	Gl
10 mic :	3'
10 mic+	Ū
14 mic+	
	St

HDPE Produ	ct Capabili	ties
CAPABILITY	DESCRIPTION	HDPE
Sleeves, Tubing and	Width Min	30"
Flat Tubular w/o Seal	Width Max	43"
3" Core	Gauge Min	14 mic
	Gauge Max	33 mic
GUSSETED BAGS	Width Min	30"
Min Gusset Size	Width Max	48"
4"	Gauge Min	14 mic
	Gauge Max	33 mic
GUSSETED TUBING	Width Min	30"
Min Gusset Size	Width Max	48"
4"	Gauge Min	14 mic
	Gauge Max	33 mic
STAR SEAL	Width Min	17"
Coreless	Width Max	55"
	Gauge Min	6 mic
	Gauge Max	33 mic
STAR SEAL	Width Min	30"
Individually Folded	Width Max	43"
	Gauge Min	10 mic
BAG LENGTH	Size Min	17"
GUSSETED AND FLAT		
3" Core	.6 mil to 2 mil	24-38"
LLDPE/ALL		
Star Seal	.6 mil to 2 mil	38"+
LLDPE/ALL		
Gusset	.6 mil to 2 mil	38"+ / 3" Core
Flat	.6 mil to 3 mil	38"+ / 3" Core







Star Seal

Flat Seal

3" Core

Star Seal

PRINT

Flat

GUSSETED SEAL













**LLDPE Product Capabilities** 

	MONO LAYER	MONO LAYER	CO-EX	CO-EX	
PRODUCT	WIDTH MIN-MAX	GAUGE MIN-MAX	WIDTH	GAUGE	NOTES
Flat Seal Bags	17 - 66"	.90 mil to 8 mil	30 - 51"	.90 mil to 7 mil	Flat Over 55" Cored Roll
Center Fold Bags	18 - 66"	.90 to 7 mil	30 - 51"	.90 mil to 7 mil	
Gusseted Seal Bags	4" x 2" x 8" - 104"	.65 mil to 8 mil	30 - 51"	.65 mil to 6 mil	66" Max Face Width
Star Seal Bags	20 - 72"	.45 mil to 2 mil	30 - 51"	.55 mil to 2 mil	
Tubing, Center Slit Film	18 - 104"	1 mil to 7 mil	30 - 51"	1 mil to 7 mil	66" Max Face Width
Food Bags	4" x 2" x 8" - 21" x 6" x 35"	.65 mil to 2 mil	N/A	N/A	
ADDITIONAL CAPABILITIES	REPEAT STYLE	DIMENSION CAPACITIES			
Pin Hole	Random	66" Face Width Max			
Vented	Random & Registered	56" Face Width Max			
Printed	Random	17 - 60" Film;			
		Print Face Max: 17 x 40"			
		Print Repeat 20"			

